

Why Human-Scale Mobile Manipulators Will Eventually Be In Homes



Charlie Kemp

<https://charliekemp.com>

Associate Professor, Department of Biomedical Engineering
Adjunct in the Schools of Interactive Computing and Electrical & Computer Engineering

I Believe It's Likely

Why [^]Human-Scale Mobile Manipulators Will Eventually Be In [^]Homes

Millions Of



Charlie Kemp

<https://charliekemp.com>

Associate Professor, Department of Biomedical Engineering
Adjunct in the Schools of Interactive Computing and Electrical & Computer Engineering

Charlie's Conflict of Interest Statement


Dr. Kemp is both an associate professor at Georgia Tech and the chief technology officer (CTO) of Hello Robot Inc. where he works part time. **He owns equity** in Hello Robot Inc. and is an inventor of Georgia Tech intellectual property (IP) licensed by Hello Robot Inc. Consequently, **he receives royalties** through Georgia Tech for sales made by Hello Robot Inc. He also benefits from increases in the value of Hello Robot Inc.

Summary: If Hello Robot does well, Charlie does well.


I've focused on mobile manipulation since 2006



EL-E (2008)



Cody (2009)





Dusty (2010)




Stretch (2020)
Commercialized by Hello Robot

Human-Scale Mobile Manipulators in Homes

- A Simple Model of Technology Adoption
- People with Disabilities Could be Early Adopters
- Progress Toward Broader Use and Affordability



A Simple Model of Technology Adoption



Why will human-scale mobile manipulators eventually be in millions of homes?

Perceived Usefulness

Perceived Ease of Use



Prof. Wendy Rogers introduced me to this model back in 2010 when we began collaborating on home robots.

Photo from <https://rbs.illinois.edu/rogers>

https://en.wikipedia.org/wiki/Technology_acceptance_model

Why will human-scale mobile manipulators eventually be in millions of homes?

Perceived Usefulness

Perceived Ease of Use


Price

Why will human-scale mobile manipulators eventually be in millions of homes?

Perceived Usefulness

Perceived Ease of Use

Price




Why will human-scale mobile manipulators eventually be in millions of homes?

Perceived Usefulness

Perceived Ease of Use

Price




It's Happened Before



**The first Roomba from 2002.
20 years ago!**

Millions of Roombas Sold vs. Year




Why is the Roomba in millions of homes?

- **Perceived Usefulness** - Autonomously cleans floors
- **Perceived Ease of Use** - Small, easy to move, 3 buttons
- **Price** - \$200 at launch (~\$300 in 2022 dollars)




Rod Brooks has emphasized the importance of a low price. iRobot wanted a person to be comfortable buying a Roomba without permission from a life partner.

People with Disabilities Could be Early Adopters



Mobile Manipulators Can Provide Meaningful Assistance



research from the Healthcare Robotics Lab (healthcare-robotics.com) at Georgia Tech

Long-term Disabilities

- In the US, 12,000,000 people with disabilities need assistance with daily activities [1]
- Causes include
 - Disease
 - Injury
 - Aging



Short-term Disabilities

- In the US by 2030
 - 635,000 total hip replacement surgeries per year
 - 1.28 million total knee replacement surgeries per year

*“median time to recovery of independence in walking was **12 days** and to ability to perform household chores was **49 days**” [2]*



[1] Sloan, Matthew, Ajay Premkumar, and Neil P. Sheth. "Projected volume of primary total joint arthroplasty in the US, 2014 to 2030." JBJS 100.17 (2018): 1455-1460.


[2] Hamel, Mary Beth, et al. "Joint replacement surgery in elderly patients with severe osteoarthritis of the hip or knee: decision making, postoperative recovery, and clinical outcomes." Archives of internal medicine 168.13 (2008): 1430-1440.

Photo from https://en.wikipedia.org/wiki/Knee_replacement


Aging Societies will Increase Demand

Percentage of Population Age 65+

2015




Percent



World percent

2015: 8.5
2050: 16.7

2050



Types of Tasks

- **Activities of Daily Living (ADLs)**
 - Feeding, toileting, transferring, dressing, and hygiene
- **Instrumental Activities of Daily Living (IADLs)**
 - Housework, food preparation, taking medications, ...



Types of Tasks

- **Activities of Daily Living (ADLs)**
 - Feeding, toileting, transferring, dressing, and hygiene
 - Manipulation near the person's body
- **Instrumental Activities of Daily Living (IADLs)**
 - Housework, food preparation, taking medications, ...
 - Manipulation of objects in the environment



Robotic Opportunities



- Provide **independence**
- Robots preferred for some tasks [1]
- 24/7 personalized assistance

Commercial Assistive Robots

- On a wheelchair
- On a table or desk
- On the body




JACO by Kinova



DynamicArm by Ottobock



My Spoon by SECOM



Myomo by Myomo Inc.

Advantages of Mobile Manipulators

- Operate independently from the user
- No don/doff
- Assist diverse users




People are Open to Assistance from Mobile Manipulators

- Hundreds of participants since 2007
 - People with disabilities
 - Older adults
 - Nurses




Structured Group Interview and Questionnaires with Older Adults (N=21)




Preferred Robots for Some Tasks

(N=21, results after PR2 video and structured group interview)



Preferred Humans for Others

(N=21, results after PR2 video and structured group interview)



Autonomous Delivery of Medicine to Older Adults at the Aware Home via RFID (N=12)



More Open to Robotic Assistance After Using the PR2

(N=12, POST is after PR2 autonomously delivered medicine to them)




Fig. 4. Human versus robot assistance with delivering medication.

But Not for Everything

(N=12, POST is after PR2 autonomously delivered medicine to them)





Fig. 5. Human versus robot assistance with taking medication.

Mobile Manipulators Can Provide Meaningful Assistance



research from the Healthcare Robotics Lab (healthcare-robotics.com) at Georgia Tech

Mobile Manipulators Can Provide Meaningful Assistance





research from the Healthcare Robotics Lab (healthcare-robotics.com) at Georgia Tech





the n






Assistive Mobile Manipulation for Self-Care Tasks Around the Head, Kelsey Hawkins, Phillip M. Grice, Tiffany L. Chen, Chih-Hung King, and Charles C. Kemp, 2014 IEEE Symposium on Computational Intelligence in Robotic Rehabilitation and Assistive Technologies, 2014.



Assistive Mobile Manipulation for Self-Care Tasks Around the Head, Kelsey Hawkins, Phillip M. Grice, Tiffany L. Chen, Chih-Hung King, and Charles C. Kemp, 2014 IEEE Symposium on Computational Intelligence in Robotic Rehabilitation and Assistive Technologies, 2014.



In-home and remote use of robotic body surrogates by people with profound motor deficits, Phillip M. Grice and Charles C. Kemp, PLoS ONE 14(3), 2019.

Main Menu

Look Spine

Left Hand Right Hand

Drive

Controls

Zoom In

Zoom Out



4x

Main Menu

Look Spine

Left Hand Right Hand

Drive

Controls

Zoom In

Zoom Out



4x


Main Menu

Look Spine

Left Hand Right Hand

Drive

Controls

Zoom In 

Zoom Out



4x

Main Menu

Look Spine

Left Hand Right Hand

Drive

Controls

Zoom In

Zoom Out



4x

Main Menu

Look Spine

Left Hand Right Hand

Drive

Controls

Tuck Arms

Re-zero Bumper

Click on video to drive.



4x

Turn Left

Turn Right

Main Menu

Look Spine

Left Hand Right Hand


Drive

Controls

Tuck Arms

Re-zero Bumper

Click on video to drive.



4x

Turn Left

Turn Right

Main Menu

Look Spine

Left Hand **Right Hand**

Drive

Controls

Step Size

XS S **M** L

Position/Rotation

Hand Position **Wrist Rotation**

3D Peek

Move Aside

Move to Setup

Re-zero Skin



Gripper

4x

• **Main Menu**

Look Spine

Left Hand **Right Hand**

Drive

• **Controls**

Step Size

XS S **M** L

Position/Rotation


Hand Wrist
Position Rotation

3D Peek

Move Aside

Move to Setup

Re-zero Skin



Gripper

4x

Main Menu

Look Spine

Left Hand **Right Hand**

Drive

Controls

Step Size

XS S **M** L

Position/Rotation

Hand Wrist
Position Rotation

3D Peek


Move Aside

Move to Setup

Re-zero Skin



4x



Main Menu

Look Spine

Left Hand Right Hand

Drive

Controls

Step Size

XS S M L

Position/Rotation

Hand Wrist

Position Rotation

3D Peek

Move Aside

Move to Setup

Re-zero Skin

4x

Gripper

Main Menu

Look Spine

Left Hand **Right Hand**

Drive

Controls

Step Size

XS **S** M L

Position/Rotation


Hand Wrist
Position Rotation

3D Peek


Move Aside

Move to Setup


Re-zero Skin





4x





15 Participants





















Causes of Motor Impairment

6 Spinal Muscular Atrophy (SMA)

3 Muscular Dystrophy (Duchenne/Becker)

3 Spinal Cord Injury

1 Amyotrophic Lateral Sclerosis (ALS)

1 Arthrogryposis


1 Dejerine-Sottas

ARAT Threshold: 9/57 with best arm

Computer Access Devices

- 4 – Trackball
- 3 – Touchpad
- 3 – Head-mouse (TrackerPro, 2x HeadMouse Extreme)
- 2 – Standard mouse
- 1 – Eye-gaze (Tobii)
- 1 – Touchpad w/Stylus held in mouth
- 1 – Speech (Dragon MouseGrid)

Improvement Exceeded Conservative Minimal Clinically Important Difference (MCID)




[1] C. E. Lang, D. F. Edwards, R. L. Birkenmeier, and A. W. Dromerick, "Estimating minimal clinically important differences of upper-extremity measures early after stroke," *Archives of physical medicine and rehabilitation*, vol. 89, no. 9, pp. 1693–1700, 2008.

[2] J. H. Van der Lee, V. De Groot, H. Beckerman, R. C. Wagenaar, G. J. Lankhorst, and L. M. Bouter, "The intra- and interrater reliability of the action research arm test: A practical test of upper extremity function in patients with stroke," *Archives of physical medicine and rehabilitation*, vol. 82, no. 1, pp. 14–19, 2001.

1-tailed Wilcoxon signed-rank test vs MCID: $W=96$, $p=.021$


Perceived Usefulness

Usefulness - Manipulation Tasks



Wilcoxon signed-rank test vs neutral:
W=120, p=.000258

Usefulness - Self Care Tasks




Wilcoxon signed-rank test vs neutral:
W=105, p=.000402

1: Strongly Disagree
2: Disagree
3: Somewhat Disagree
4: Neither Agree nor Disagree

5: Somewhat Agree
6: Agree
7: Strongly Agree


Perceived Ease of Use

Ease of Use - Manipulation Tasks



Wilcoxon signed-rank test vs neutral:
W=74, p=.00264

Ease of Use - Self Care Tasks



Wilcoxon signed-rank test vs neutral:
W=87.5, p=.00142

1: Strongly Disagree
2: Disagree
3: Somewhat Disagree
4: Neither Agree nor Disagree

5: Somewhat Agree
6: Agree
7: Strongly Agree

Limitations

- Slow operation
- Errors
- Depth perception

Limitations

- Slow operation
- Errors
- Depth perception
- **The robot**

The Robot



- Willow Garage shut down in 2014
- PR2 was impractical
 - 227 kg (~500 lb)
 - 67 cm wide (~2.2 ft)
 - \$400,000

The Robot



- Willow Garage shut down in 2014
- PR2 was impractical
 - 227 kg (~500 lb)
 - 67 cm wide (~2.2 ft)
 - \$400,000 Price

Perceived
Ease of Use


Progress Toward Broader Use and Affordability



Frustration Leads to Invention

Goals

- affordable
- compact
- lightweight
- humancentric
- capable



My Initial Georgia Tech Notes
October 2016

The Core Design Problem

Smaller

Lighter Weight

Lower Cost



Shorter Reach

Lower Force

Less Dexterity



Georgia Tech's 1st Prototype
March 2017



Hello Robot's Product - A Robot for Research
July 2020



2016

2017

2018

2019


2020




Smaller, Lighter, More Affordable



- 34 cm wide (~1.1 ft)
- 23 kg (~51 lb)
- \$20,000






Robotic Cubism

- Dimensions matched to human environments
- The human form deconstructed and reassembled


[La Femme au Violon - Pablo Picasso, 1911](#)




“In Cubist artwork, objects are analyzed, broken up and reassembled in an abstracted form”

- <https://en.wikipedia.org/wiki/Cubism>


< 50th Percentile Hip Width




50th Percentile Arm Length



Reaches the Floor



Reaches 36" Countertops



23 kg (51 lb)






Image from <https://sites.gatech.edu/robotic-caregivers/> .





hello robot™

Teleoperated Home Examples



Autonomous Home Examples



Successful Launch in July 2020

14 Jul 2020 | 4:01 GMT

Ex-Googler's Startup Comes Out of Stealth With Beautifully Simple, Clever Robot Design

Hello Robot's Stretch wants to reinvent how mobile manipulators perform tasks in home environments

By Evan Ackerman and Eric Guizzo



Photo: Hello Robot

Hello Robot, founded by former Google robotics director Aaron Edsinger and Georgia Tech professor Charlie Kemp, is introducing Stretch, a mobile manipulator that weighs only 23 kg and costs less than \$20,000.



Hello Robot wins Innovation Award in SVR 'Good Robot' Industry Awards

Posted on [December 14, 2020](#) by [Andra Keay](#)



NEWS

Home Prince Philip Coronavirus Video World US & Canada UK Business

Tech



Research robot helps with housework and other news

Stretch is a Platform for Innovation



Hardware



Software



Project-based Class with Open Materials

Teaching Award

Student Recognition of Excellence in Teaching:
Class of 1934 CIOS Honor Roll

Now a research project in my lab!



Rehabilitation Game

Madeline Beatty, Matthew Lamsey, Zexuan Liu, Arjun Majumdar, and Kendra Washington

Hands off Bottle



Hydration Assistance via Water Delivery

Zach Shaefer, Miles Macero, Hannah Paterson, Kendra Dawson, & Naveen Balaji N



Fall Assistance using Remote Teleoperation


Aparna Subramaniam, Mark Putman, Jeremy Collins, Stuart Song, Prathic Sundararajan

Why will human-scale mobile manipulators eventually be in millions of homes?

Perceived Usefulness

Perceived Ease of Use

Price



I Believe It's Likely

Millions Of

Why Human-Scale Mobile Manipulators Will Eventually Be In Homes

- A Simple Model of Technology Adoption
- People with Disabilities Could be Early Adopters
- Progress Toward Broader Use and Affordability

